

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

zone classification image vehicle

[Search Patents](#)[Advanced Patent Search](#)
[Google Patent Search](#)

Patent results

Patents 1 - 10 on **zone classification image vehicle**. (0.19 seconds)

[Open road cashless toll collection](#) [Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)
[system and method using transponders and cameras to track vehicles](#)
US Pat. 6140941 - Filed Jan 17, 1997 - Raytheon Company
As a **vehicle** 17 passes through the toll collection **zone**, ... If **image(s)** were captured, the **vehicle** detection and **classification** data is coupled to the ...

[Occupant detection system](#)

US Pat. 6968073 - Filed Apr 24, 2002 - Automotive Systems Laboratory, Inc.
10 As one example of a **classification** process, the feature vector is ... surface of an avoidance **zone** in a region of space of in a **vehicle** proximate to an ...

[Intelligent vehicle highway system sensor and method](#)

US Pat. 5757472 - Filed Aug 9, 1996 - Schwartz Electro-Optics, Inc.
A sensor for detection and **classification** of vehicular traffic data, ...
through the sensor **zone**, the processing means forming a three-dimensional **image** ...

[Object detection system for vehicle](#)

US Pat. 7038577 - Filed Apr 30, 2003 - Donnelly Corporation
(54) OBJECT DETECTION SYSTEM FOR VEHICLE (75) Inventors: John A. ... The reduced image data set is representative of a target **zone** of the captured **image**. ...

[Decision enhancement system for a vehicle safety restraint application](#)

US Pat. 6856694 - Filed Nov 7, 2003 - Eaton Corporation
At 420, the At-Risk-**Zone** is defined to correspond to a 5 location of the deployment mechanism ... **classification**, tracking, calibration, and **image** quality. ...

[Decision enhancement system for a vehicle safety restraint application](#)

US Pat. 6944527 - Filed Nov 7, 2003 - Eaton Corporation
At 420, the At-Risk-**Zone** is defined to correspond to a 5 location of the deployment mechanism ... **classification**, tracking, calibration, and **image** quality. ...

[Vehicle classification and axle counting sensor system and method](#)

US Pat. 6304321 - Filed Jan 7, 2000 - Schwartz Electro-Optics, Inc.
VEHICLE CLASSIFICATION AND AXLE COUNTING SENSOR SYSTEM AND METHOD CROSS REFERENCE TO RELATED 5 APPLICATIONS This application claims priority to provisional ...

[Model-based incident detection system with motion classification](#)

US Pat. 6985172 - Filed Jan 25, 2002 - Southwest Research Institute
Digital **image** data may be obtained from a video digitizer for converting the analog ... following prescribed paths, a **vehicle** stopping in a traffic lane. ...

[System and method for reading license plates](#)

US Pat. 7068185 - Filed Jan 28, 2002 - Raytheon Company
In another embodiment, the system verifies the **classification** manually and/or automatically using a rear or side **image** of the **vehicle**. ...

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

grid classification

[Search Patents](#)[Advanced Patent Search](#)
[Google Patent Search](#)

Patent results

Patents 11 - 20 on grid classification. (0.11 seconds)

AUTOMATIC CONTROL SYSTEM FOR RAILWAY CLASSIFICATION YARDS

US Pat. 3247372 - Filed Aug 7, 1957

A portion of this signal is coupled directly to the **grid** of amplifier tube V102 through resistor R93, and another portion is differentiated in capacitor C91 ...

Method and apparatus for the classification of solid particles

US Pat. 5908115 - Filed Feb 11, 1997 - Montell North America, Inc.

The system is not suitable for continuous **classification** of fine particles, and the system for cleaning the filtering **grid** by mechanical vibrations is not ...

Adaptive system and method for pattern classification

US Pat. 7058240 - Filed Oct 18, 2002 - Lockheed Martin Corporation

6a is also graphical representation of an addressed object and the normalized **grid** as used in this invention and depicts the calculation of characteristic ...

CLASSIFICATION OF SHEET MATERIAL

US Pat. 3138048 - Filed Feb 24, 1956

... a positive pulse is transferred through resistor 152 to the control **grid** 153 of an ... time of the apparatus and provides a sheet **classification** system hav-

Classification-driven thresholding of a normalized grayscale image

US Pat. 6266445 - Filed Mar 13, 1998 - Canon Kabushiki Kaisha

Coupled to the normalization unit 134 is the **classification** unit 138, which compares ... The **grid** 500 is used for assigning values to the gray matrix 144, ...

PROCESS AND APPARATUS FOR CATALYST CLASSIFICATION IN A MOVING BED CATALYST CONVERSION PROCESS FOR HYDROCARBONS

US Pat. 2664387 - Filed May 22, 1945

Due to the extremely rapid **classification** previously described, the minor portion of catalyse material passing through the **grid** to the connection 3i ...

CLASSIFICATION METHOD AND APPARATUS

US Pat. 3221152 - Filed Mar 14, 1961

This bias is counteracted by a potential impulse impressed on the **grid** 455 ... This impresses a small negative bias on the suppressor **grid** 465 until after ...

Hammermill air relief

US Pat. 6405950 - Filed Jan 5, 2001 - Ag Processing Inc

40 45 A rotor 60 and **classification grid** 80 are mounted within the housing ... 50 The **classification grid** 80 is mounted such that it substantially but not ...

FINGERPRINT CLASSIFICATION BY COORDINATE SYSTEM

US Pat. 3419287 - Filed Dec 8, 1965

In this **classification** system it should be noted that no distinction is made ... of a Cartesian coordinate system, as indicated by the imaginary **grid** 16 ...

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

disparity airbag

[Search Patents](#)[Advanced Patent Search](#)
[Google Patent Search](#)

Patent results

Patents 1 - 10 on **disparity airbag**. (0.11 seconds)

Pressure equalizing curtain airbag

[Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)

US Pat. 6846010 - Filed Jan 30, 2002 - Autoliv ASP, Inc.

The **disparity** in pressure may result in the **airbag** being unequally inflated or in the inflation of one protection zone lagging behind the inflation of ...

Video occupant detection and classification

US Pat. 5983147 - Filed Feb 6, 1997 - Sandia Corporation

Besides the obvious difference of using **disparity** instead of intensity, ...

The data from these tests showed only one "fatal" **airbag** retention for 219 ...

Vehicle with novel airbag unit installation structure

US Pat. 5425549 - Filed Mar 22, 1994 - Mazda Motor Corporation

Before the installation of the **airbag** system, the fittings 32 at the U-shaped hook 70 ... there occurs no **disparity** in preferred embodiment, various other ...

Range discriminating optical sensor having a wide angle lens with a fixed focal length

US Pat. 7084385 - Filed Aug 19, 2003 - Autoliv ASP, Inc.

Airbag modules commonly contain a collision sensor, an inflator, ... With two cameras, the **disparity** measurements between the two images in the two cameras ...

Method and apparatus for self-diagnostics of a vision system

US Pat. 7003384 - Filed Oct 24, 2003 - TRW Automotive U.S. LLC

The difference in the positions of the object 94 in the images is referred to as "disparity." To get a proper **disparity** between the images for performing ...

Data processing system and method

US Pat. 6456737 - Filed Aug 17, 2000 - Interval Research Corporation

... force of an **airbag** when a child is determined to 25 be sitting in the car seat; ... A method of generating **disparity** results with low latency in a data ...

Sensor fusion architecture for vision-based occupant detection

US Pat. 6801662 - Filed Oct 10, 2000 - HRL Laboratories, LLC

... performed by an active **airbag** control system is to evaluate dynamically ...

The **disparity** or shift of matching pixels between the images 8 viewed by the ...

Vacuum control and air restriction barrier for a garment press

US Pat. 6662980 - Filed Jun 11, 2002 - Forenta, LP

Moreover, by preselecting the fabricating material used to make the control barrier 10 the **disparity** between the vacuum force applied to the front portion ...

Interface between impact sensor and controller for a supplemental inflatable restraint system

US Pat. 5620202 - Filed Jan 23, 1995 - Delco Electronics Corp.

3-5 are not drawn to scale since the **disparity** between msec and usée ranges render proper scale impractical. Also the pulses are shown in square wave form ...

Data processing system and method


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [e-mail](#)

Welcome United States Patent and Trademark Office

 [Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPORE GUIDE](#)

Results for "((disparity<in>metadata) <and> (vehicle<in>metadata))"

Your search matched 64 of 1513808 documents.

A maximum of 64 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.» [Search Options](#)[View Session History](#)[New Search](#)» [Key](#)

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

Modify Search

 Check to search only within this results setDisplay Format: Citation Citation & Abstract
 [Select All](#) [Deselect All](#)

View: 1-

 1. **Stereo panoramic vision for monitoring vehicle blind-spots**Matuszyk, L.; Zelinsky, A.; Nilsson, L.; Rilbe, M.;
[Intelligent Vehicles Symposium, 2004 IEEE](#)14-17 June 2004 Page(s):31 - 36
Digital Object Identifier 10.1109/IVS.2004.1336351[AbstractPlus](#) | Full Text: [PDF\(964 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#) 2. **A structure-from-motion algorithm for robot vehicle guidance**Wang, H.; Brady, M.;
[Intelligent Vehicles '92 Symposium., Proceedings of the](#)
29 June-1 July 1992 Page(s):30 - 35
Digital Object Identifier 10.1109/IVS.1992.252229[AbstractPlus](#) | Full Text: [PDF\(568 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#) 3. **Fast object segmentation from a moving camera**Arnell, F.; Petersson, L.;
[Intelligent Vehicles Symposium, 2005. Proceedings. IEEE](#)
6-8 June 2005 Page(s):136 - 141
Digital Object Identifier 10.1109/IVS.2005.1505091[AbstractPlus](#) | Full Text: [PDF\(389 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#) 4. **U-V-disparity: an efficient algorithm for stereovision based scene analysis**Hu, Z.; Uchimura, K.;
[Intelligent Vehicles Symposium, 2005. Proceedings. IEEE](#)
6-8 June 2005 Page(s):48 - 54
Digital Object Identifier 10.1109/IVS.2005.1505076[AbstractPlus](#) | Full Text: [PDF\(449 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#) 5. **Local 3D map building and error analysis based on stereo vision**Huahua Chen; Zezhong Xu;
[Industrial Electronics Society, 2005. IECON 2005. 32nd Annual Conference of](#)
6-10 Nov. 2005 Page(s):4 pp.
Digital Object Identifier 10.1109/IECON.2005.1568934


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

 Search Results
BROWSE**SEARCH****IEEE Xplore GUIDE**

Results for "((zone<in>metadata) <and> (classification<in>metadata))<and> (vehicle...)"
 Your search matched 10 of 1513808 documents.

 [e-mail](#)

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options
[View Session History](#)
[New Search](#)
» Key
IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

Modify Search
 ((zone<in>metadata) <and> (classification<in>metadata))<and> (vehicle<in>met

 Check to search only within this results set

Display Format: [Citation](#) [Citation & Abstract](#)
 [Select All](#) [Deselect All](#)

1. **Magnetic Scalar Triangulation and Ranging system for autonomous under based detection, localization and classification of magnetic mines**
 Wiegert, R.F.; Purpura, J.W.;
 OCEANS '04. MTS/IEEE TECHNO-OCEAN '04
 Volume 2, 9-12 Nov. 2004 Page(s):890 - 896 Vol.2
 Digital Object Identifier 10.1109/OCEANS.2004.1405589
[AbstractPlus](#) | Full Text: [PDF\(792 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

2. **IEEE Oceanic Engineering Society. OCEANS'98. Conference Proceedings No.98CH36259)**
[OCEANS '98 Conference Proceedings](#)
 Volume 1, 28 Sept.-1 Oct. 1998
 Digital Object Identifier 10.1109/OCEANS.1998.725630
[AbstractPlus](#) | Full Text: [PDF\(312 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

3. **Side zone automotive radar criteria for target classification**
 Reed, J.C.;
[Intelligent Vehicles '95 Symposium., Proceedings of the](#)
 25-26 Sept. 1995 Page(s):361 - 363
 Digital Object Identifier 10.1109/IVS.1995.528308
[AbstractPlus](#) | Full Text: [PDF\(232 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

4. **3D vision technology for occupant detection and classification**
 Devarakota, P.R.R.; Mirbach, B.; Castillo-Franco, M.; Ottersten, B.;
[3-D Digital Imaging and Modeling, 2005. 3DIM 2005. Fifth International Conference](#)
 13-16 June 2005 Page(s):72 - 79
 Digital Object Identifier 10.1109/3DIM.2005.1
[AbstractPlus](#) | Full Text: [PDF\(312 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)

5. **Using evolutionary computation for seismic signal detection: a homeland application**
 Porto, V.W.; Fogel, L.J.; Fogel, D.B.;
[Computational Intelligence for Homeland Security and Personal Safety, 2004. Proceedings of the 2004 IEEE International Conference on](#)